

# **SAFETY DATA SHEET**

Creation Date 03-Feb-2019 Revision Date 24-Jan-2022 Revision Number 3

1. Identification

Product Name : PROPYLENE GLYCOL MONOMETHYL ETHER ACETATE

Common Name : METHOXY PROPYL ACETATE (PMA)

**CAS-No** 108-65-6

# 2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 3

Label Elements

Signal Word Warning

**Hazard Statements** 

Flammable liquid and vapor



**Precautionary Statements Prevention** 

\_\_\_\_\_

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep cool

**Disposal** 

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

## 3. Composition/Information on Ingredients

Component	CAS-No	PCT (WT) %
Propylene glycol monomethyl ether acetate	108-65-6	>99.5

## 4. First-aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if

symptoms occur.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms

occur.

**Ingestion** Do not induce vomiting. Obtain medical attention.

Most important symptoms and

effects

Breathing difficulties. . Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed

containers exposed to fire with water spray.

Unsuitable Extinguishing Media No information available

**Flash Point** 46 °C / 107.6 °F

**Method** - No information available

Autoignition Temperature 333 °C / 631.4 °F

**Explosion Limits** 

 Upper
 13.10 vol %

 Lower
 1.30 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

\_\_\_\_\_

#### **Specific Hazards Arising from the Chemical**

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Vapors may form explosive mixtures with air.

#### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>)

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health	Flammability 2	<b>Instability</b> 0	Physical hazards N/A				
	6. Accidental rele	ease measures					
Personal Precautions		ipment. Remove all sources or charges. Avoid contact with sk	of ignition. Take precautionary				
<b>Environmental Precautions</b>	<u> </u>	<u> </u>	itional ecological information.				
Methods for Containment and Clear Up	<b>ainment and Clean</b> Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.						
	7. Handling a	nd storage					
Handling	sources of ignition. Use spa precautionary measures aga	uipment. Keep away from op- rk-proof tools and explosion-p ainst static discharges. Avoid d inhalation. Use only non-spa	proof equipment. Take				
Storage	Keep containers tightly close	ed in a dry, cool and well-vent	tilated place. Keep away from heat				

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

Engineering Measures Ensure adequate ventilation, especially in confined areas. Use explosion-proof

electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers

and sources of ignition. Keep away from direct sunlight. Flammables area.

are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical State Liquid Appearance Colorless

Odor Petroleum distillates
Odor Threshold No information available
No information available

pH No information available Melting Point/Range -87 °C / -124.6 °F

Boiling Point/Range 146 °C / 294.8 °F @ 760 mmHg

Flash Point 46 °C / 107.6 °F Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits
Upper 13.10 vol %
Lower 1.30 vol %

Vapor PressureNo information availableVapor DensityNo information available

Specific Gravity 0.960

Solubility
19.8 g/L (25°C)
Partition coefficient; n-octanol/water
Autoignition Temperature
333 °C / 631.4 °F
Decomposition Temperature
Viscosity
No information available
No information available

Molecular Formula C6 H12 O3
Molecular Weight 132.16

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

Incompatible Materials Strong acids, Strong bases

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization** Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

## 11. Toxicological information

## **Acute Toxicity**

#### **Product Information**

### **Component Information**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Propylene glycol monomethyl ether	LD50 = 8532 mg/kg (Rat)	LD50 > 5 g/kg ( Rabbit )	Not listed
acetate			

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Propylene glycol monomethyl ether	108-65-6	Not listed				
acetate						

Mutagenic Effects No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

**Endocrine Disruptor Information** No information available

## 12. Ecological information

#### **Ecotoxicity**

This product contains the following substance(s) which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Propylene glycol	Not listed	LC50: = 161 mg/L, 96h static	Not listed	EC50: > 500 mg/L, 48h
monomethyl ether acetate		(Pimephales promelas)		(Daphnia magna)

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation**No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Propylene glycol monomethyl ether acetate	0.43

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN-No UN3272

**Proper Shipping Name** FLAMMABLE LIQUIDS, N.O.S.

Hazard Class 3 Packing Group III

**TDG** 

UN-No UN3272

Proper Shipping Name FLAMMABLE LIQUIDS, N.O.S.

Hazard Class 3
Packing Group III

<u>IATA</u>

UN-No UN3272

\_\_\_\_\_\_

Proper Shipping Name FLAMMABLE LIQUIDS, N.O.S.

Hazard Class 3
Packing Group III

IMDG/IMO

UN-No UN3272

Proper Shipping Name FLAMMABLE LIQUIDS, N.O.S.

Hazard Class 3
Packing Group III

## 15. Regulatory information

#### **International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Propylene glycol monomethyl	Χ	Х	-	203-603-9	-		Χ	Χ	Х	Х	Χ
ether acetate											

#### Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Not applicable

Regulations

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

## **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade No information available

## 16. Other information

 Creation Date
 03-Feb-2019

 Revision Date
 24-Jan-2022

 Print Date
 24-Jan-2022

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

## Disclaimer

The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**