

Revision: 24.01.2021

### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Vinyl acetate

• CAS Number: 108-05-4 • EC number: 203-545-4

• Index number: 607-023-00-0

 $\cdot \textit{Relevant identified uses of the substance or \textit{mixture and uses advised against}}$ 

 $No\ further\ relevant\ information\ available.$ 

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Shrine Chemicals
- · Further information obtainable from:



Product safety department. info@shrinechemicals.com

### 2 Hazards identification

· Classification of the substance or mixture



flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Acute Tox. 5 H303 May be harmful if swallowed.

Acute Tox. 5 H313 May be harmful in contact with skin.

- · Label elements
- · GHS label elements

The substance is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapour.

May be harmful if swallowed.

May be harmful in contact with skin.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Ground/bond container and receiving equipment.

*Use explosion-proof electrical/ventilating/lighting equipment.* 

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



Printing date 24.01.2021 Revision: 24.01.2021

Trade name: Vinyl acetate

(Contd. of page 1)

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· Chemical characterisation: Substances

· CAS No. Description 108-05-4 vinyl acetate · Identification number(s) · EC number: 203-545-4

· Index number: 607-023-00-0

### 4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Printing date 24.01.2021 Revision: 24.01.2021

Trade name: Vinyl acetate

See Section 13 for disposal information.

(Contd. of page 2)

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

	Ingredients with limit values that require monitoring at the workplace:  108-05-4 vinyl acetate		
	REL (USA)	Ceiling limit: 15* mg/m³, 4* ppm *15-min	
	TLV (USA)	Short-term value: 53 mg/m³, 15 ppm Long-term value: 35 mg/m³, 10 ppm	
	IOELV (EU)	Short-term value: 35.2 mg/m³, 10 ppm Long-term value: 17.6 mg/m³, 5 ppm	
	WEL (Great Britain)	Short-term value: 35.2 mg/m³, 10 ppm Long-term value: 17.6 mg/m³, 5 ppm	

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 4)



Printing date 24.01.2021 Revision: 24.01.2021

Trade name: Vinyl acetate

(Contd. of page 3)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Physical and chemical properties	
Information on basic physical and chen	nical properties
General Information	
Appearance:	
Form:	Fluid
Colour:	Colourless
Odour:	Sweetish
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	-93.2 ℃
Initial boiling point and boiling range	: 72 °C
Flash point:	-8 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	425 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Product is not explosive. However, formation of explosive air/vape mixtures are possible.
Explosion limits:	
Lower:	2.6 Vol %
Upper:	13.4 Vol %
Vapour pressure at 20 °C:	111 hPa
Density at 20 °C:	$0.93  g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water at 20 °C:	20 g/l
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 5)



Printing date 24.01.2021 Revision: 24.01.2021

Trade name: Vinyl acetate

(Contd. of page 4)

Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:

 Oral
 LD50
 2920 mg/kg (rat)

 Dermal
 LD50
 2335 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)



Printing date 24.01.2021 Revision: 24.01.2021

Trade name: Vinyl acetate

(Contd. of page 5)

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

UN1301
1301 VINYL ACETATE, STABILIZED VINYL ACETATE, STABILIZED
3 Flammable liquids.
3
II
No
Warning: Flammable liquids. 339 F-E,S-D
pol Not applicable.
1L 2 D/E

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · GHS label elements

The substance is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 7)



Printing date 24.01.2021 Revision: 24.01.2021

Trade name: Vinyl acetate

· Hazard pictograms

(Contd. of page 6)



- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapour.

May be harmful if swallowed.

May be harmful in contact with skin.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Ground/bond container and receiving equipment.

*Use explosion-proof electrical/ventilating/lighting equipment.* 

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department.
- · Contact: PME
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

 $PBT: Persistent, Bioaccumulative \ and \ Toxic$ 

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 5: Acute toxicity - oral - Category 5

AE -